

## Technical Data Sheet

## SEKUR escABEK-P3 15

<b>Order no.:</b>	466 428	
<b>Product designation:</b>	Filtering Escape Device with Hood SEKUR escABEK-P3 15	
<b>Applied standard:</b>	DIN 58647-7-ABEK 15 additionally DIN EN 14387 ABEK P3	
<b>Utilization:</b>	Filtering Escape Devices SEKUR escABEK-P3 15 are determined for self-rescue from chemical danger areas. The scope of protection is determined by the product information, technical standards and valid application rules.	
<b>Operation time:</b>	approx. 15 min.	
<b>Description:</b>	The Filtering Escape Device is equipped with a heat resistant hood made of Teflon foil (PTFE). Furthermore, it is chemical resistant against the vast majority of materials. The Filtering escape device is provided with a mouthpiece and a nose clip, thereby it is achieving an ultimate tightness in contaminated environments. Due to the uniqueness of the mouthpiece, the device is ideal for all users, also for spectacle and beard wearers.	
<b>Materials:</b>	Mouthpiece	EPDM (Ethylene-Propylene-Diene-Mixture)
	Nose clip	Plastic (ABS)
	Fitting clamp	Metal
	Hood	Teflon foil (PTFE)
	Filter case	Polybutylene terephthalate (PBT)
	Sorbents	Impregnated active charcoal
	Carrying and Storage Case	Plastic (ABS)
	Belt clip	Spring steel
<b>Weight:</b>	approx. 310 g (without plastic case) approx. 445 g (with plastic case)	
<b>Inhalation resistance:</b>	at 95 l/min, constant flow	max. 7,0 mbar (DIN 58647-7 / DIN EN 14387)
<b>Exhalation resistance:</b>	at 95 l/min, constant flow	max. 2,0 mbar (DIN 58647-7 / DIN EN 14387)
<b>Marking:</b>	Trade mark of manufacturer (LOGO) Product designation Applied standard Expiry of shelf-life (MM/YYYY) CE-Identification Notified body Instruction for use (Pictogram) Type identifying marking	
<b>Handling:</b>	Take the Filtering Escape Device from the plastic cabinet directly before use. Use the Filtering Escape Device in accordance with the information brochure.	
<b>Storage conditions:</b>	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.	
<b>Warning reference:</b>	Please consider the information brochure!	
<b>User references:</b>	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 'Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines'	

TD 466428 English 02-11.17