



Order no.: 433 396

**Product designation:**

Half Mask Polimask DUPLO Combi A1-P1NR

As filtering device, in connection with two Combined Filter 200 A1-P1NR (DIN EN 14387).

The scope of protection is determined by the product information, technical standards and valid application rules.



## DESCRIPTION

- Adaptability to any kind of face with a good sealing ability
- Low breathing resistance
- Compatible with the use of glasses and goggles
- Easy donning and doffing
- Easy maintenance, washing and disinfection
- completely ready for use with replaceable filter
- protection against solvents, organic gases and vapors with a boiling point >65°C as well as particles (P1)

## MAIN FEATURES



## PERFORMANCES



Comfort



Ergonomics



Sturdiness



Easy maintenance

## APPLICATION FIELDS



Industry



Hospital



Chemical Pharmaceutical Industry



Agriculture

## MATERIALS

- Faceblank: Ethylene-Propylene-Diene-Mixture (EPDM)
- Fastener for head harness: Polyamide (PA)
- Harness: Ethylene-Propylene-Diene-Mixture (EPDM)
- Inhalation valve: Rubber
- Exhalation valve: Rubber
- Exhalation valve fit: Plastic (ABS)
- Exhalation valve cap: Polyphenylene oxide (PPO)
- Connector: Polypropylene (PP)
- Sorbents: Impregnated active charcoal
- Particle filter: Microfiberglass, Cellulose fibers

## WEIGHT

- approx.: 300 g included 2 filter

## MARKING

- Trade mark of manufacturer (LOGO)
- Product designation
- Applied standard
- Manufacture year and -month
- CE-Identification
- Notified body
- Type identifying marking

## DONNING AND USING

- Take the Half mask from the Packing and/or Storage container directly before use
- Use the Half mask in accordance with the information brochure

## STORAGE

- Ambient temperature. Protect against cold, heat and humidity
- Consider conditions noted on the packaging

## CERTIFICATIONS

- The mask is certified according to EN 140
- For use with particle, gas and combined filter of the series 200 (special thread 66mm)
- Certified according to European Regulation (EU) 2016/425

## USER REFERENCES

EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 „Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines“.

TD 433396 English\_05-04.24